





Rinnen/Channel:

FCT pro mini: NW100
 BG code: V 10510200 H60; 9,1 kg; V 10510201 H80; 10,7 kg;
 BG code: E 10510300 H60; 9,1 kg; E 10510301 H80; 10,7 kg;



FCT pro mini: NW100
 BG code: G 10510101; 11,1 kg;





Rinne / channel - Maße / dimensions [mm]								
BG code V	BG code E	BG code G	Typ	Höhe A height A	Höhe B height B	Länge length	Gewicht weight V/E [kg]	Gewicht weight G [kg]
10510200	10510300	-	mini 60	60	60	1000	9,1	-
10510201	10510301	10510101	mini 80	80	80	1000	10,7	11,1


Legende / explanation:	
FCT:	FILCOTEN HPC
V:	verzinkter Stahl / galvanized steel
E:	Edelstahl / stainless steel
G:	Gußeisen / ductile iron
H:	Holz / wood

Roste, Abdeckungen / grates, covers:



Gitterrost / Mesh grating: MW 30/10, C250
BG code: V 17010222 (17010223), E 17010322 (17010323); C250 3,3 kg (1,6 kg):





Gitterrost / Mesh grating: MW 25/10, D400
BG code: V 17010226 (17010227); D400 7,4 kg (3,7 kg):



Stegrost / Slotted grating: SW 8/80, C250
BG code: V 17010206 (17010207), E 17010306 (17010307); C250 4,5 kg (2,2 kg):




Lochrost / Perforated grating: Ø 6 mm, C250
BG code: V 17010228 (17010229), E 17010328 (17010329); 3,3 kg (1,7 kg):



Roste, Abdeckungen / grates, covers:



Kunststoffrost / Plastic grating: COMBee; Ø7,3; C250
BG code: PA 17010401; 1,1 kg:





B (1 : 2)




Gußrost / Ductile iron grating: MW 29/13, C250
BG code: GJS 17010101; 3,2kg:




Gussrost / Ductile iron grating: MW29/6, C250
BG code: GJS 17010106; 3,6 kg:





Gußrost / Ductile iron grating: MW 29/13, D400
BG code: GJS 17010104; 3,4 kg:





C (1 : 2)





Guß-Designrost / Ductile iron design grating: KIARO, D400
BG code: GJS 17010183; 4,1 kg:




Guß-Designrost / Ductile iron design grating: VIA, D400
BG code: GJS 17010184; 3,6 kg:





Guß-Stegrost / Ductile iron slotted grating: SW 14/100, E600
BG code: GJS 17010105; 3,8 kg:





Guß-Designrost / Ductile iron design grating: VILLE, E600
BG code: GJS 17010180; 5,2 kg:



Gußrost / Ductile iron grating: MW 22/13, E600
BG code: GJS 17010103; 4,2 kg:
4-fach verschraubbar/4-times bolted





Guß-Stegrost / Ductile iron slotted grating: SW 14/100, F900
BG code: GJS 17010107; 4,8 kg:
4-fach verschraubbar/4-times bolted





Schlitzaufsatz / slot top NW 100:



Schlitzaufsatz SW 12,5mm, SH 80, B125
BG code: V 17110237 (17110238), E 17110337 (17110338); 4,4 kg (2,2 kg):





Revisionschacht SW 12,5mm, SH 80, B125
BG code: V 17110297, E 17110397; 4,1 kg:





Schlitzaufsatz SW 12,5mm, SH 110, C250
BG code: V 17110243 (17110244), E 17110343 (17110344); 5,4 kg (2,7 kg):



Revisionschacht SW 12,5mm, SH 110, C250
BG code: V 17110281, E 17110381; 5,0 kg:



Bauzeitabdeckung / construction time barrier
BG code: H 37962; 0,1 kg:




Abhebegriff / opening tool
BG code: V 13399; 0,1 kg:




Design-Schlitzaufsatz / decorative-slot top NW 100:


Schlitzaufsatz 2S / slot-top 2S, Heelproof, SW 2x6 mm, SH 110, C250
BG code: V 17111204 (17111205), E 17111304 (17111305); 5,8 kg (3,0 kg):




Revisionschacht 2S / revision-shaft 2S, Heelproof, SW 2x6 mm, SH 110, C250
BG code: V 17111206, E 17111306; 5,3 kg:



Schlitzaufsatz 3S / slot-top 3S, Heelproof, SW 3x6 mm, SH 110, C250
BG code: E 17111307 (17111308); 6,6 kg (3,3 kg):



Revisionschacht 3S / revision-shaft 3S, Heelproof, SW 3x6 mm, SH 110, C250
BG code: E 17111309; 5,6 kg:





Abdeckband weiß / cover tape white
BG code: 37963

50mm Breite / width
33m Länge pro Rolle / length per roll


Zubehör / accessories:

Sinkkasten / Sump unit:
inkl. Schlammemeier / incl. silt bucket (22515; 0,2 kg)
BG code: V 10610292, E 10610392; 32,4 kg


Sinkkasten / Sump unit:
inkl. Schlammemeier / incl. silt bucket (22515; 0,2 kg)
BG code: G 10610190; 32,9 kg



Stirn-/ Endplatte / End-cap
BG code: V 19010200, E 19010300; 0,1 kg:



Vandalismus Verriegelung /
Anti-vandalism locking device
BG code: E 32087; 0,1 kg:



Verschraubungsmaterial / Bolting material:
BG code: V 32103; BG code: E 32109:



Geruchsverschluss für Bodenablauf /
Drain trap for bottom outlet:
BG code: PVC 30019; 0,2 kg:

