





Rinnen/Channel:

FCT pro NW100 V-E
BG code: siehe Tabelle/ see table:





FCT pro NW100 G
BG code: siehe Tabelle/ see table:



FCT pro NW100 V-E, Nr. 5-0 f. seitl. Bohrung/f. side outlet drilling
BG code: V 10610281 siehe Tabelle/E 10610381 see table:

FCT pro NW100 G, Nr. 5-0 f. seitl. Bohrung/f. side outlet drilling
BG code: G 10610181 siehe Tabelle/see table:






| Rinne / channel - Maße / dimensions [mm] | | | | | | | | |
|------------------------------------------|-----------|-----------|------------|--------------------|--------------------|-----------------|-------------------------------|-----------------------------|
| BG code V | BG code E | BG code G | Typ | Höhe A height A | Höhe B height B | Länge length | Gewicht weight V/E [kg] | Gewicht weight G [kg] |
| 10610200 | 10610300 | 10610100 | 0 | 142 | 142 | 1000 | 18,3 | 19,1 |
| 10610280 | 10610380 | 10610180 | 0 (0,5m) | 142 | 142 | 500 | 9,6 | 9,7 |
| 10610201 | 10610301 | 10610101 | 1 | 145 | 150 | 1000 | 18,6 | 19,5 |
| 10610202 | 10610302 | 10610102 | 2 | 150 | 155 | 1000 | 19,3 | 20,2 |
| 10610203 | 10610303 | 10610103 | 3 | 155 | 160 | 1000 | 20 | 20,9 |
| 10610204 | 10610304 | 10610104 | 4 | 160 | 165 | 1000 | 20,6 | 21,6 |
| 10610205 | 10610305 | 10610105 | 5 | 165 | 170 | 1000 | 21,3 | 22,3 |
| 10610261 | 10610361 | 10610161 | 5-0 | 170 | 170 | 1000 | 21,6 | 22,6 |
| 10610281 | 10610381 | 10610181 | 5-0 (0,5m) | 170 | 170 | 500 | 13,2 | 13,5 |
| 10610206 | 10610306 | 10610106 | 6 | 170 | 175 | 1000 | 21,9 | 23 |
| 10610207 | 10610307 | 10610107 | 7 | 175 | 180 | 1000 | 22,6 | 23,3 |
| 10610208 | 10610308 | 10610108 | 8 | 180 | 185 | 1000 | 23,3 | 24 |
| 10610209 | 10610309 | 10610109 | 9 | 185 | 190 | 1000 | 23,9 | 24,7 |
| 10610210 | 10610310 | 10610110 | 10 | 190 | 195 | 1000 | 24,6 | 25,4 |
| 10610262 | 10610362 | 10610162 | 10-0 | 195 | 195 | 1000 | 24,9 | 26,1 |
| 10610282 | 10610382 | 10610182 | 10-0 | 195 | 195 | 500 | 11 | 11,6 |
| 10610264 | 10610364 | 10610164 | 20-0 | 245 | 245 | 1000 | 31 | 32 |

| Legende / explanation: | |
|------------------------|-------------------------------------|
| FCT: | FILCOTEN HPC |
| V: | verzinkter Stahl / galvanized steel |
| E: | Edelstahl / stainless steel |
| G: | Gußeisen / ductile iron |
| H: | Holz / wood |

Roste, Abdeckungen / grates, covers:



Gitterrost / Mesh grating: MW 30/10, C250

BG code: V 17010222 (17010223), E 17010322 (17010323); C250 3,3 kg (1,6 kg):





Gitterrost / Mesh grating: MW 25/10, D400

BG code: V 17010226 (17010227); D400 7,4 kg (3,7 kg):





Stegrost / Slotted grating: SW 8/80, C250

BG code: V 17010206 (17010207), E 17010306 (17010307); C250 4,5 kg (2,2 kg):




Lochrost / Perforated grating: Ø 6 mm, C250

BG code: V 17010228 (17010229), E 17010328 (17010329); 3,3 kg (1,7 kg):




Roste, Abdeckungen / grates, covers:



Kunststoffrost / Plastic grating: COMBee; Ø7,3; C250
BG code: PA 17010401; 1,1 kg:





B (1 : 2)




Gußrost / Ductile iron grating: MW 29/13, C250
BG code: GJS 17010101; 3,2kg:



Gussrost / Ductile iron grating: MW29/6, C250
BG code: GJS 17010106; 3,6 kg:





Gußrost / Ductile iron grating: MW 29/13, D400
BG code: GJS 17010104; 3,4 kg:





C (1 : 2)





Guß-Designrost / Ductile iron design grating: KIARO, D400
BG code: GJS 17010183; 4,1 kg:




Guß-Designrost / Ductile iron design grating: VIA, D400
BG code: GJS 17010184; 3,6 kg:





Guß-Stegrost / Ductile iron slotted grating: SW 14/100, E600
BG code: GJS 17010105; 3,8 kg:





Guß-Designrost / Ductile iron design grating: VILLE, E600
BG code: GJS 17010180; 5,2 kg:



Gußrost / Ductile iron grating: MW 22/13, E600
BG code: GJS 17010103; 4,2 kg:
4-fach verschraubbar/4-times bolted




Guß-Stegrost / Ductile iron slotted grating: SW 14/100, F900
BG code: GJS 17010107; 4,8 kg:
4-fach verschraubbar/4-times bolted




Schlitzaufsatz / slot top NW 100:


Schlitzaufsatz SW 12,5mm, SH 80, B125
BG code: V 17110237 (17110238), E 17110337 (17110338); 4,4 kg (2,2 kg):




Revisionschacht SW 12,5mm, SH 80, B125
BG code: V 17110297, E 17110397; 4,1 kg:




Schlitzaufsatz SW 12,5mm, SH 110, C250
BG code: V 17110243 (17110244), E 17110343 (17110344); 5,4 kg (2,7 kg):



Revisionschacht SW 12,5mm, SH 110, C250
BG code: V 17110281, E 17110381; 5,0 kg:



Bauzeitabdeckung / construction time barrier
BG code: H 37962; 0,1 kg:




Abhebegriff / opening tool
BG code: V 13399; 0,1 kg:




Design-Schlitzaufsatz / decorative-slot top NW 100:


Schlitzaufsatz 2S / slot-top 2S, Heelproof, SW 2x6 mm, SH 110, C250
BG code: V 17111204 (17111205), E 17111304 (17111305); 5,8 kg (3,0 kg):




Revisionschacht 2S / revision-shaft 2S, Heelproof, SW 2x6 mm, SH 110, C250
BG code: V 17111206, E 17111306; 5,3 kg:



Schlitzaufsatz 3S / slot-top 3S, Heelproof, SW 3x6 mm, SH 110, C250
BG code: E 17111307 (17111308); 6,6 kg (3,3 kg):



Revisionschacht 3S / revision-shaft 3S, Heelproof, SW 3x6 mm, SH 110, C250
BG code: E 17111309; 5,6 kg:




Abdeckband weiß / cover tape white
BG code: 37963

50mm Breite / width
33m Länge pro Rolle / length per roll


Zubehör / accessories:

Sinkkasten / Sump unit:
inkl. Schlammmeimer / incl. silt bucket (22515; 0,2 kg)
BG code: V 10610292, E 10610392; 32,6 kg


Sinkkasten / Sump unit:
inkl. Schlammmeimer / incl. silt bucket (22515; 0,2 kg)
BG code: G 10610192; 33,1 kg



Stirn-/Endplatte / Front-/End cap:
BG code: PA 19010400; 0,12kg



Vandalismus Verriegelung /
Anti-vandalism locking device
BG code: E 32087; 0,1 kg:



Verschraubungsmaterial / Bolting material:
BG code: V 32103: BG code: E 32109:



Geruchsverschluss für Bodenablauf /
Drain trap for bottom outlet:
BG code: PVC 30019; 0,2 kg:

